



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/664,234	09/17/2003	Yijun Ruan	069354.0102	3948

6449	7590	08/02/2007
ROTHWELL, FIGG, ERNST & MANBECK, P.C.		
1425 K STREET, N.W.		
SUITE 800		
WASHINGTON, DC 20005		

EXAMINER	
JOHANNSEN, DIANA B	

ART UNIT	PAPER NUMBER
1634	

NOTIFICATION DATE	DELIVERY MODE
08/02/2007	ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PTO-PAT-Email@rfem.com

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10664234	9/17/03	RUAN ET AL.	069354.0102

**EXAMINER**

Diana B. . Johannsen

ROTHWELL, FIGG, ERNST & MANBECK, P.C.  
1425 K STREET, N.W.  
SUITE 800  
WASHINGTON, DC 20005


ART UNIT	PAPER
1634	20070719

**DATE MAILED:**

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

See enclosed Notice of Non-Responsive Amendment.

  
Diana B. Johannsen  
Primary Examiner  
Art Unit: 1634

***Notice of Non-Responsive Amendment***

1. The reply filed on August 28, 2006 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): applicant did not respond to the double patenting rejections set forth on pages 3-4 of the Office action mailed February 27, 2006. A response to each of these rejections (or, alternatively, an acceptable terminal disclaimer) is required in order for applicants' reply to be considered fully responsive. See 37 CFR 1.111.
2. It is noted that applicants' amendment to the specification of May 4, 2007 is compliant and has been entered. The examiner regrets that the omission of paragraph 1 was not previously noted; however, applicants' remarks were not previously considered due to the non-entry of applicants' amendments.
3. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).
4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Diana B. Johannsen whose telephone number is 571/272-0744. The examiner can normally be reached on Monday and Thursday, 7:30 am-4:00 pm.

Art Unit: 1634

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ram Shukla can be reached at 571/272-0735. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to read "Diana B. Johannsen", with a long horizontal flourish extending to the right.

Diana B. Johannsen  
Primary Examiner  
Art Unit 1634